DAKOTA



Verde
AN ITALIAN STORY



A contemporary look with the soul of natural stone

DAKOTA

Colors and inspirations narrated by

Verde
AN ITALIAN STORY

Dakota reveals a new approach
to stone-like surfaces
with a clean, contemporary
look, preserving and reviving
the vitality and charm
of natural stone.

BIANCO 60x120 . 24”x48” rett



DAKOTA

Vivid color tones and light veining radiate elegance and style. The multi-format pattern, paired with the coordinating wall mosaic, enhances the warm feeling of stone.

BIANCO mosaico 30x30 . 12”x12”
BIANCO runner package 20x60 . 8”x24”- 30x60 . 12”x24” - 40x60 . 16”x24” rett




BIANCO multisize package 60x60 . 24”x24”- 40x60 . 16”x24” - 20x60 . 8”x24” - 30x40 . 12”x16” - 20x30 . 8”x12” rett

The Dakota range stands out for its versatility, thanks to its five different sizes that include a 20mm thick version for exteriors and wet rooms, mosaics, and designer accessories to meet every architectural need.

GRIGIO 60x120 . 24”x48” rett



GRIGIO 100x100 . 40”x40” rett



GRIGIO 100x100 . 40”x40” rett R11 2 cm

Each different color of the Dakota collection asserts a personality of its own while engulfing any room in a refined and welcoming atmosphere.

NERO 60x60 . 24”x24” rett



DAKOTA

The 15x60 pre-scored listello transforms a wall into a truly striking three-dimensional installation.
The matching floor is the perfect complement for the minimalist atmosphere and at the same time provides a durable and maintenance-friendly product.

NERO preinciso 15x60 . 6”x24” rett
NERO 60x120 . 24”x48” rett



NERO modulo 15x60 . 6”x24” - 10x60 . 4”x24” - 5x60 . 2”x24” rett



In addition to the modern and impressive range of sizes, the multisize and runner packages expand the creative options available, making original and highly customized compositions possible.

BEIGE 60x60 . 24”x24” rett



BEIGE 60x120 . 24”x48” rett



NERO modulo 15x60 . 6”x24” - 10x60 . 4”x24” - 5x60 . 2”x24” rett
BEIGE 100x100 . 40”x40” rett R11 2 cm
BEIGE 100x100 . 40”x40” rett

The surface texture is surprisingly soft to the touch with a totally refined look, and it combines style with ease. Dakota is Italian made gres porcelain stoneware: the best in quality and design.

ANTRACITE multisize package 60x60 . 24”x24”- 40x60 . 16”x24” - 20x60 . 8”x24” - 30x40 . 12”x16” - 20x30 . 8”x12” rett

Dakota’s texture seemingly appears to change in its different sizes: essential and sophisticated in the larger sizes, natural and vibrant in the multisize package, where the liveliness of the graphics and the surface structure is at its fullest.

ANTRACITE 60x120 . 24”x48” rett
ANTRACITE modulo 15x60 . 6”x24” - 10x60 . 4”x24” - 5x60 . 2”x24” rett
ANTRACITE 60x60 . 24”x24” rett



ANTRACITE 30x60 . 12”x24” rett

DAKOTA

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse
Glasiertes Feinsteinzeug in der masse gefärbt

R10 R11 V2

BIANCO



GRIGIO



NERO




BEIGE




ANTRACITE

sizes

8,5



100x100
40”x40” rett
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO



60x120
24”x48” rett
60x120
24”x48” rett R11
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO



60x60
24”x24” rett
60x60
24”x24” rett R11
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO




30x60
12”x24” rett
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO

PREINCISO
15x60 . 6”x24” rett
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO



MODULO
15x60, 10x60, 5x60
6”x24”, 4”x24”, 2”x24” rett
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO

20




100x100
40”x40” rett R11
BEIGE
BIANCO
GRIGIO

DAKOTA

MOSAICO 30x30 . 12”x12”



BIANCO GRIGIO NERO




BEIGE ANTRACITE

8,5



Mosaico
30x30 . 12”x12”
5x5 . 2”x2”
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO


8,5



Battiscopa
7x60 . 2¼”x24” rett
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO

Battiscopa
7x100 . 2¼”x40” rett
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO

Battiscopa
7x120 . 2¼”x48” rett
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO




Costa Retta 30x120x3,3 . 12”x48”x1$^{5}/_{16}$” rett
ANTRACITE
BEIGE
BIANCO
GRIGIO
NERO

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse
Glasiertes Feinsteinzeug in der masse gefärbt


R10 R11 V2

package

Contents of one box . Contenuto di una scatola . Contenu d’une boite . Inhalt einer Schachtel



MULTISIZE PACKAGE rett
60x60 . 24”x24” : 1 pc
40x60 . 16”x24” : 1 pc
20x60 . 8”x24” : 1 pc
30x40 . 12”x16” : 2 pc
20x30 . 8”x12” : 2 pc



RUNNER PACKAGE rett
20x60 . 8”x24” : 2 pc
30x60 . 12”x24” : 2 pc
40x60 . 16”x24” : 2 pc

DAKOTA

Packing		pezzi pieces	m²	kg	kg	m²	box
100x100 . 40”x40” rett	8,5	2	2,00	38,00	950,00	48,00	24
100x100 . 40”x40” rett R11 2 cm	20	1	1,00	44,40	974,00	21,00	21
60x120 . 24”x48” rett / rett R11	8,5	2	1,44	27,50	1091,00	56,16	39
60x60 . 24”x24” rett / rett R11	8,5	3	1,08	20,50	1000,00	51,84	48
30x60 . 12”x24” rett	8,5	7	1,26	23,80	968,00	50,40	40
15x60 . 6”x24” rett Preinciso	8,5	10	0,90	17,00	702,00	36,00	40
15x60 . 6”x24” - 10x60 . 4”x24” - 5x60 . 2”x24” rett Modulo	8,5	6	1,08	20,40	634,00	32,40	30
Runner package	8,5	6	1,08	20,50	760,00	38,88	36
Multisize package	8,5	6	1,08	20,50	760,00	38,88	36
5x5 . 2”x2” Mosaico	8,5	8	0,72	13,60	595,00	30,24	42
7x60 . 2¼”x24” rett Battiscopa	8,5	15	-	13,91	580,00	-	40
7x100 . 2¼”x40” rett Battiscopa	8,5	6	-	8,35	373,00	-	42
7x120 . 2¼”x48” rett Battiscopa	8,5	6	-	11,62	487,00	-	40
30x120x3,3 . 12”x48”x1 5/16” rett Costa Retta	8,5	4	-	34,00	-	-	-

Ceramics of Italy

Via A. Volta 23/25
41043 Casalgrande (RE)
Italy
tel +39 0522 998911/411
verde1999.com
info@verde1999.com

Verde is a brand of
Gruppo Romani S.p.A. Industrie Ceramiche

FSC www.fsc.org MIX Paper | Supporting responsible forestry FSC® C092599

TECHNICAL FEATURES*

Caratteristiche tecniche . Caractéristiques techniques. Technische eigenscheften

GLAZED PORCELAIN STONEWARE WITH COLOURED BODY - ISO 13006 BIA GL
Gres porcellanato smaltato colorato in massa . Grès cérame émaillé coloré dans la masse. Glasiertes feinsteinzeug in der masse gefärbt

	NORME TEST N°	DESCRIZIONE DESCRIPTION	VALORE A NORMA REQUIRED STANDARD	VALORE RESULTS
	ISO 10545/2	Lunghezza e larghezza Length and width Longueure et largeur Länge und breite	± 0,5%	Conforme Conforms Conformes Gemäß
	ISO 10545/2	SPESSORE THICKNESS EPAISSEUR STÄRKE	± 5%	Conforme Conforms Conformes Gemäß
	ISO 10545/2	Ortogonalità Wedging Orthogonalité Rechtwinklichkeit	± 0,5%	Conforme Conforms Conformes Gemäß
	ISO 10545/2	Planarità Warpage Planéité Ebenflächigkeit	± 0,5%	Conforme Conforms Conformes Gemäß
		Variazioni di tono Shade variations Variations de nuance Tonvariationen		V2
	ISO 10545/3	Assorbimento d’acqua Water absorption Absorption d’eau Wasseraufnahme	≤ 0,5%	Conforme Conforms Conformes Gemäß
	ISO 10545/4	Resistenza alla flessione Bending strength Resistance a la flexion Biegfestigkeit	R > 35 N/mm²	Conforme Conforms Conformes Gemäß
	ISO 10545/11	Resistenza al cavillo Crazing resistance Resistance au trassailage Haarrissfestigkeit		Resiste Resistant Résiste Beständig
	ISO 10545/13	Resistenza all’attacco chimico Chemical resistance Resistance à l’attaque chimique Fähig gegen säuren und laugen	min. gb	Classe A-LA-HA Class A-LA-HA Classe A-LA-HA Gruppe A-LA-HA
	ISO 10545/14	Resistenza alle macchie Stain resistance Resistance aux taches Fleckenfestigkeit	min 3	Classe 5 Class 5 Classe 5 Gruppe 5
	ISO 10545/12	Resistenza al gelo Frost resistance Resistance au gel Frostbeständigkeit		Resiste Resistant Résiste Beständig
	ISO 10545/7	Resistenza alla abrasione della superficie di piastrelle smaltate Resistance to surface abrasion of glazed tiles Résistance à l’abrasion de la surfacedes carreaux émaillés Widerstand gegen Abrieb der Oberfläche der glasierten Fliesen	BIANCO Classe 5 Class 5 Classe 5 Gruppe 5	BEIGE - GRIGIO Classe 4 Class 4 Classe 4 Gruppe 4	ANTRACITE - NERO Classe 3 Class 3 Classe 3 Gruppe 3
	ANSI A 326.3	Resistenza alla scivolosità. Coefficiente di attrito medio	ANSI A 326.3	μ > 0,42	
	B.C.R.A. REP. CEC. 6/81	Skid resistance. Average coefficient of friction	DIN EN 16165 ANNEX B ≥ R 9 (no lapp - no lux - no satin)	R10	R11
	DIN EN 16165 ANNEX B	Résistance au glissement. Coéfficient de frottement moyen	DIN EN 16165 ANNEX A (no lapp - no lux - no satin)	Classe A+B Class A+B Classe A+B Gruppe A+B	Classe A+B+C Class A+B+C Classe A+B+C Gruppe A+B+C
	DIN EN 16165 ANNEX A	Rutschfestigkeit. Mittlerer Reibungswert	B.C.R.A. REP. CEC. 6/81	0,40 ≤ μ ≤ 0,74	μ ≥ 0,74
	EN 101	Resistenza della superficie (scala MOHS) Scratch hardness (MOHS scale) Dureté de la surface (échelle MOHS) Oberflächenhärte (MOHS skala)	EN 101	≥ 6	

* THESE VALUES MAY VARY FROM LOT TO LOT.

Verde

AN ITALIAN STORY